| 110 | Sh | set Lof 4.8heets |
|--|--|---|
| S. Department of Commerce, Patent and Trademark Office | Atty Docket No. | Application No. |
| 10 2003 | M-11147-1C US | 10/008,482 |
| INFORMATION DISCLOSURE STATEMENT BY APPLICANT | Applicants | Confirmation No. |
| (Use several sheets if necessary) | Zare et al. | 8199 |
| | Filing Date | Group |
| | August 8, 2001 | 1723 |
| | I.S. Department of Commerce, Patent and Trademark Office 10 2013 INFORMATION DISCLOSURE STATEMENT BY APPLICANT | Atty Docket No. M-11147-1C US INFORM, TION DISCLOSURE STATEMENT BY APPLICANT (Use several sheets if necessary) Zare et al. Filing Date |

| | August 8, 2001 1723 | | | | 1723 | | |
|----------------------|-----------------------|--------------------|----------|----------------------|-------|----------|----------------------------|
| | U.S. Patent Documents | | | | | | |
| *Examiner Initial | | Document Number | Date | Name | Class | Subclass | Filing Date If Appropriate |
| EGT | 1 | 4,323,439 | 4/6/82 | O'Farrell | 204 | 18.00 | ,CO |
| E6+ | 2 | 4,617,102 | 10/14/86 | Tomblin et al. | 204 | 299R | in the second |
| E6 + | 3 | 5,085,756 | 2/4/92 | Swedberg | 204 | 299R @ | |
| EST | 4 | 5,116,471 | 5/26/92 | Chien et al. | 204 | 180.1 | 184 100 184 100 |
| E6T | 5 | 5,202,010 | 4/13/93 | Guzman | 204 | 299R | ₹0 · |
| EGT | 6 | 5,340,452 | 8/23/94 | Brenner et al. | 204 | 180.1 | |
| E6T | 7 | 5,423,966 | 6/13/95 | Wiktorowicz | 204 | 182.8 | |
| E8t | 8 | 5,453,382 | 9/26/95 | Novotny et al. | 436 | 178 | |
| E6T | 9 | 5,766.435 | 6/16/98 | Liao et al. | 204 | 451 | |
| E6T | 10 | 5,800,692 | 9/1/98 | Naylor et al. | 204 | 601 | |
| EGT | 11 | 6,136,187 | 10/24/00 | Zare et al. | 210 | 198.2 | |
| EGT | 12 | 5,772,875 | 6/30/98 | Pettersson et al. | 210 | 198.2 | |
| E6T | 13 | 3,568,840 | 12/24/68 | Hashimoto, et al. | 210 | 198.2 | |
| E6T | 14 | 3,757,490 | 9/11/73 | Ma | 55 | 67 | |
| EGT | 15 | 5,308,495 | 5/3/94 | Avnir et al. | 210 | 656 | |
| E6t | 16 | 5,316,680 | 5/31/94 | Frechet et al. | 2/0 | 635 | |
| FGF | 17 | 5,334,310 | 8/2/94 | Frechet et al. | 210 | 198.2 | |
| EGT. | 18 | 5,552,994 | 6/4/96 | Frechet et al. | 210 | 635 | |
| E87 | 19 | 5,647,979 | 7/15/97 | Liao et al. | 210 | 198.2 | |
| EGT | 20 | 5,667,674 | 9/16/97 | Hanggi et al. | 210 | 198,2 | |
| Est | 21 | 5,719,322 | 2/17/98 | Lansbarkis et al. | 73 | 23,39 | |
| E8T | 22 | 5,728,296 | 3/17/98 | Hjerten te al. | 2/0 | 198,2 | |
| Est | 23 | 5,728,457 | 3/17/98 | Frechet et al. | 428 | 310.5 | |
| E6+ | 24 | 5,759,405 | 6/2/98 | Anderson, Jr. et al. | 2/0 | 656 | |
| EOT | 25 | 5,858,241 | 1/12/99 | Dittmann et al. | 210 | 656 | |
| EGT | 26 | 4,675,300 | 6/23/87 | Zare et al. | 436 | | |
| E67 | 27 | 5,599,445 | 2/4/97 | Betz et al. | 210 | 198,2 | |
| EOT | 28 | 5,637,135 | 6/10/97 | Ottenstein et al. | 96 | 10/ | |
| EGT | 29 | 3,808,125 | 8/25/72 | Good | 210 | 1182 | |
| EGT | 30 | 5,135,627 | 8/4/92 | Soane | 204 | 182.8 | |
| Est | 31 | 5,453,185 | 9/26/95 | Frechet et al. | 210 | 198.2 | |
| | | | | | | | |

THERKOW

APRIL 21, 2003

| | TRE | | | 10/008 | 2482 | | Sheet 2 | 10-F25 | 3xeets |
|---|----------|---|--|---|--|------------|------------------------------------|--|---------------|
| φ | ECT % | 32 | 3,503,712 | 5/18/66 | Sussman | 23 | 252 | 1 | |
| | EGT 7000 | 33 | 5,116,495 | 5/26/92 | Prohaska | 210 | 198.2 | | |
| | EST & | 34 | 3,878,092 | 4/15/75 | Fuller | 210 | 31 C | | |
| * | TRACEMEN | | | Foreign | Patent Documents | 1 | | | |
| | | | _ | | | | | Trans | slation |
| | Ect | 35 | Document | Date | Country | Class | Subclass | Yes | No |
| | Ect | 36 | WO 00/49396 | 8/24/00 | WIPO | 20 | 198,2 | | X |
| | EGT | 37 | EP 0 779 512 | 06/18/97 | EP | 210 | 198.2 | | λ^{i} |
| | Ea | 38 | EP 0 439 318 | 7/31/91 | EP | 2/0 | 198,2 | | X |
| ſ | | • | OTHER A | RT (Including A | uthor, Title, Date, Pertiner | | tc.) | | |
| | EGT | 39 | Monoliths Prepare | ed in Capillaries l | Phases for Chromatography by Photoinitiated In Situ Phoresis, Vol. 21, 2000, pp. | olymerizat | rochip: Molded ion as Separatio | Porous Ronald for the contract of the contract | or A |
| | EGT | 40 | | Sweeping of Ana | llyte Zones in Electrokinet | | tography," <i>Anal</i> | ytical She | emistry, |
| | E6+ | 41 | | | ticosteroids in Biofluids by nistry, Vol. 69, No. 13, Jul | | | ography v | vith |
| | E6+ | 42 | Concentration and | D.A. Stead et al., "Capillary Electrochromatography of Steroids Increased Sensitivity by On-Line Concentration and Comparison with High-Performance Liquid Chromatography," <i>Journal of Chromatography A</i> . Vol. 798, 1998, pp. 259-267. | | | | | |
| | E6+ | 43 | Y. Zhang et al., "High-Efficiency On-Line Concentration Technique of Capillary Electrochromatography," <i>Analytical Chemistry</i> , Vol. 72, No. 22, November 15, 2000, pp. 5744-5747. T. Tegeler et al., "On-Column Trace Enrichment by Sequential Frontal and Elution Electrochromatography. 1. Application to Carbamate Insecticides," <i>Analytical Chemistry</i> , Vol. 73, No. 14 July 15, 2001, pp. 3365-3372. F. E. P. Mikkers et al., "Concentration Distributions in Free Zone Electrophoresis," <i>Journal of Chromatography</i> , Vol. 169, February 1, 1979, pp. 1-10. | | | | 747. | | |
| | EGT | 44 | | | | | 3, No. 14, | | |
| | EOT | 45 | | | | | , | | |
| | EGT | 46 | RL. Chien et al., "On-Column Sample Concentration Using Field Amplification In CZE," <i>Analytical Chemistry</i> , Vol. 64, No. 8, April 15, 1992, pp. 489A-496A. | | | ytical | | | |
| | Ect | 47 | J. Quirino et al., "Exceeding 5000-Fold Concentration of Dilute Analytes in Micellar Electrokinetic Chromatography," <i>Science</i> , Vol. 282, October 16, 1998, pp. 465-468. | | | | tic | | |
| | EG | 48 | 8 C. Yang et al., "Electrically Driven Microseparation Methods for Pesticides and Metabolites. II: On-line and Off-line Preconcentration of Urea Herbicides in Capillary Electrochromatography," <i>Electrophoresis</i> , Vol. 20, 1999, pp. 2337-2342. | | | | | | |
| | ECT | 49 | M. Dulay et al., "Preparation and Characterization of Monolithic Porous Capillary Columns Loaded with Chromatographic Particles," <i>Analytical Chemistry</i>, Vol. 70, No. 23, December 1, 1998, pp. 5103-5107. M. Dulay et al., "Photopolymerzed Sol-Gel Monoliths for Capillary Electrochromatography," <i>Analytical Chemistry</i>, Vol. 73, No. 16, August 15, 2001, pp. 3921-3926. | | | | | | |
| | ECT | 50 | | | | alytical | | | |
| | EG+ | 51 | | | | | | | |
| | EGY | 52 | | | centration in Capillary Electronic Electroni | | tography Using | a Porous | |
| | ECT | 53 M. Kato et al. "Photopolymerized Sol-Gel Frits for Packed Columns in Capillary | | | | | | | |
| _ | | | THERKOE | .) | ΔP | PII 3 | 1,2003 | | |

| C | INE | | et. d 10/008,482 Sheet 30+45heets |
|-----|------------|------|--|
| PR | 1 0 2003 C | 54 | JR. Chen et, "Macroporous Photopolymer Frits for Capillal, Electrochromatography," Analytical Chemistry, Vol. 72, No. 6, March 15, 2000, pp. 1224-1227. |
| ٤ | ANTARA | 55 | C. Viklund et al., "Molded Macroporous Poly(Glycidyl Methacrylate-Co-Trimethylolpropane Trimethacrylate) Materials with Fine Controlled Porous Properties: Preparation of Monolitis Fing Photoinitiated Polymerization," Chem. Mater., Vol. 9, No. 2, 1997, pp. 463-471. |
| | Ect | , 56 | M. Dulay et a.l, "Bonded-Phase Photopolymerized Sol-Gel Monoliths for Reversed Phase Capitary Electrochromatography," J. Sep. Sci., Vol. 25, 2002, pp. 3-9. |
| | Ecr | 57 | M. Kato et al., "Effect of Preparatory Conditions on the Performance of Photopolymerized Sol-Gel Monoliths for Capillary Electrochromatography," <i>Journal of Chromatography A</i> , Vol. 961, 2002, pp. 45-51. |
| | YZCY | 58 | M. Kato et al., "Enantiomeric Separation of Amino Acids and Nonprotein Amino Acids Using a Particle-Loaded Monolithic Column," <i>Electrophoresis</i> , Vol. 21, 2000, pp. 3145-3151. |
| • | ECY | 59 | J. Quirino et al., "On-Line Preconcentration in Capillary Electrochromatography Using a Porous Monolith Together with Solvent Gradient and Sample Stacking," <i>Anal. Chem.</i> , Vol. 73, 2001, pp. 5557-5563. |
| • | EX | 60 | J. Quirino et al., "Strategy for On-Line Preconcentration in Chromatographic Separations," Anal. Chem., Vol. 73, 2001, pp. 5539-5543. |
| | ECH | 61 | K. Morishima et al., "Toward Sol-Gel Electrochromatographic Separations on a Chip," <i>J. Sep. Sci.</i> , Vol. 25, 2002, pp. 1226-1230. |
| | ELY | 62 | M.J. Hilhorst, et al., "Sensitivity Enhancement in Capillary Eletrochromatography by On-Column Preconcentration," <i>Chromatographia 2001, 53,</i> February (No. ¾), pp. 190-196. |
| | Ex | 63 | Woo, et al., "Photopolymerization of Methyl Methacrylate with Primary Aryl- and Alklylsilanes," Bulletin of the Korean Chemical Society, Vol. 16, No. 11, ISSN 0253-2964, Nov. 20, 1995, pages 1057, |
| | ECY | 64 | Cikalo, et al., "Capillary Electrochromatography," Analyst, July 1998, Vol. 123 pp. 87R-102R. |
| | EUX | , 65 | Quirino, et al., "Sample Stacking of Cationic and Anionic Analytes in Capillary Electrophoresis," <i>Journal of Chromatography</i> , A, 902 2000, pp. 119-135. |
| | BCX | 66 | Quirino, et al. "Sweeping of Neutral Analytes in Electrokinetic Chromatography with High-Salt-Containing Matrixes," <i>Analytical Chemistry</i> , vol. 72, No. 8, April 15, 2000. |
| | Ect | - 67 | Chen, et al., "Semipreparative Capillary Electrochromatography." Analytical Chemistry, Vol. 73, No. 9, May 1, 2001. 1987-1592 |
| | ECY | 68 | Colon, et al., "Packing Columns for Capillary Electrochromatography," <i>Journal of Chromatography</i> , A. 887 (2000) pp. 43-53. |
| | Ecy | 69 | Svec, et al., "Design of the Monolithic Polymers used in Capillary Electrochromatography Columns," <i>Journal of Chromatography</i> , A, 887 (2000) pp. 3-29. |
| | Ect | 70 | Constantin, et al., "Preparation of Stationary Phasese for Open-Tubular Capillary Electrochromatography Using the Sol-Gel Method," <i>Journal of Chromatography</i> , A, 887 (2000) pp. 253-263. |
| | Eu | 71 | Tan, et al., "Preparation and Evaluation of Bonded Linear Polymethacrylate Stationary Phases for Open Tubular Capillary Electrokinetic Chromatography," Analytical Chemistry, Vol. 69, No. 4, Feb. 15, 1997. |
| | Ect | 72 | Chirica, et al., "Fritless Capillary Columns for HPLC and CEC Prepared by Immobilizing the Stationary Phase in an Organic Polymer Matrix," <i>Analytical Chemistry</i> , Vol. 72, No. 15, August 1, 2000, pp. 3605-3610. |
| - | ECX | 73 | Palm, et al., Macroporous Polyacrylamide/Poly(ethylene glycol) Matrixes as Stationary Phases in Capillary Electrochromatography," <i>Analytical Chemistry</i> , Vol. 69, No. 22, Nov. 15, 1997, pp. 4499-4507. |
| a a | | | THERKORN APRIL 21,2093 |

THERKURN

| 3916 | 10/00 | 18,482 Sheet 40f 4. Sheet | | | |
|-------------------------|-------|---|--|--|--|
| R 1 0 2003 \$ ECF \$ | 74 | Hayes, et al., "Sel-Gel Monolithic Columns with Reversed Electrochromatography," Analytical Chemistry, Vol. 72, No. 17, September 1, 2000, pp. 4090-4099. | | | |
| MANEUMONIO | 75 | Mol, et al., "Trace Level Analysis of Micropollutants in Aqueous Samples using Gas Chromatography with On-Line Sample Enrichment and Large Volume Injection," <i>Journal of Chromatography A</i> , 703 (1995) pp. 277-307. | | | |
| EG+ | 76 | Quirino, et al., "Approaching a Million-Fold Sensitivity Increase in Capillary Electrophoresis with Direct Ultraviolet Detection: Cation-Selective Exhaustive Injection and Sweeping," <i>Analytical Chemistry</i> , Vol. 72, No. 5, March 1, 2000, pp. 1023-1030. | | | |
| Ect | 77 | Rudge, et al., "Solute Retention in Electrochromatography by Electrically Induced Sorption," AIChE Journal, May 1993, Vol. 39, No. 5, pp. 797-808. | | | |
| EGT | 78 | Kitagawa, et al., "Voltage-Induced Sample Release from Anion Exchange Supports in Capillary Electrochromatography," <i>Analytical Sciences</i> , June 1998, Vol. 14, pp. 571-575. Josic, et al., "Monoliths as Stationary Phases for Separation of Proteins and Polynucleotides and Enzymatic Conversion," <i>Journal of Chromatography</i> B, 752 (2001) pp. 191-205. | | | |
| E6T | 79 | Josic, et al., "Monoliths as Stationary Phases for Separation of Proteins and Polynucleotides and Enzymatic Conversion," Journal of Chromatography B, 752 (2001) pp. 191-205. | | | |
| EGT | 80 | Peters, et al., "Molded Rigid Polymer Monoliths as Separation Media for Capillary Electrochromatography," Analytical Chemistry, Vol. 69, No. 17, September 1, 1997 | | | |
| E6+ | 81 | Dulay, et al., "Automated Capillary Alectrochromatography: Reliability and Reproducibility Studies," Journal of Chromatography A, 725 (1996) pp. 361-366. | | | |
| EGT | 82 | Brinker, et al., "Sol-Gel Science: The physics and Chemistry of Sol-Gel Processing," <i>Academic Press</i> , San Diego, pp. 372-385, 408-411, 458-459 1990. | | | |
| ECT | 83 | Badini, et al., "Impregnation of a pH-Sensitive Dye into Sol-Gels for Fibre Optic Chemical Sensors," <i>Analyst, 120</i> , pp. 1025-1028, April 1995. | | | |
| EGT | 84 | Snyder, Introduction to Modern Liquid Chromatography, John Wiley & Sons, Inc., New York, 1979, pp. 145-147. | | | |
| Examiner | THE | CKORN Date Considered APRIL 21, 2003 | | | |

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with your communication to applicant.